

ZHONGSHAN SHENGSHIYOU PIN CO.,LTD

ZHONGSHAN SHENSHIYOU PIN CO.,LTD

Address: N0.25 Xiujing Street,Nantou Town, Zhongshan City

Tel Number: 0755-291033 12

Email: admin@daretang. com

Website: www.daretang.com

中山盛世优品电子有限公司
2023



ABOUT US

Zhong Shan Shengshiyupin Co., Ltd as an innovative smart lock manufacturer, who has been helping to make access smart, simple & safe. With more than 10 years developments from design to production, established to offer the best quality products with professional and effective service to our customer.


Products, are CE, FCC & ROHS marked. We strictly execute 5S quality control ensures our customer a safe and reliable smart lock.

Shengshiyupin Company has been focusing on the lock quality, design & after services and providing latest technology products and high-efficiency security & access control systems.

Smart Security Innovate is our aim to produce high quality products to our valued customers. We insist the brand and quality as our pursue along the way to grow up in intelligent lock indus-



Customization process





CERTIFICATE

BRAND 2020

CERTIFICATE OF REGISTRATION
— CERTIFICATE OF HONOR —

SHENZHEN SHENGSHI YOUPIN ELECTRONIC

QUALITY MANAGEMENT SYSTEM
CERTIFICATE

NOW IT BELONGS TO YOU

VERIFICATION OF CONFORMITY

According to FCC part 15
Registration No.: STT20131010287

Product: Smart door lock
Applicant: ZHONGSHAN SHENGSHIYOU PIN CO.,LTD
Address: NO.25 Xujing Street, Nanlou Town, Zhongshan City
Manufacturer: ZHONGSHAN SHENGSHIYOU PIN CO.,LTD
Address: NO.25 Xujing Street, Nanlou Town, Zhongshan City
Model No.: AL001,AL002,AL003,AL004,AL011

The test sample of product has been passed, the test according to require following standards:
Standard(s): CFR, Title 47 FCC Part 15: 2012
Test report(s) No.: STT20131010287E

The Sample was tested to conform to the applicable FCC Rules and Regulations. The method of testing was in accordance to the most accurate measurement and that all necessary steps have been followed to ensure that all product sample equipment will continue to comply with the Federal Communications requirements.

Approved by Date: [Signature] [Date]

Shenzhen STONE Testing Technology Co., Ltd.
F/R, 809, 12, Changping Industrial City, Changping Rd., Nanshan District, Shenzhen, Guangdong
Tel: (86)-755-26542952 Fax: (86)-755-61675554 Email: info@stone-test.com

CE

DONGGUAN UNIVERSAL TESTING TECHNOLOGY CO., LTD.

CERTIFICATE OF CONFORMITY

CERTIFICATE No.: UTLR21057060C01

Date: (2021-05-19)
Page 1 of 1

Applicant: ZHONGSHAN SHENGSHIYOU PIN CO., LTD
Address: NO.25 Xujing Street, Nanlou Town, Zhongshan City
Sample: Smart door lock
Below sample and sample information are provided by client
Sample Name: Smart door lock

This Certificate is Applicable To The Sample Parts Investigated in Our Test Report No. UTLR21057060 And Date 2021-05-19.

TEST REQUIREMENTS	CONCLUSIONS
Heavy metals and flame retardants content: RoHS Directive 2011/65/EU Annex II amending Annex (EU)2015/863 and amending Annex (EU)2017/2102	PASS
Phthalates content: RoHS Directive 2011/65/EU Annex II amending Annex (EU)2015/863 and amending Annex (EU)2017/2102	PASS

Lab No.: [Signature]
Date: May 19, 2021

Dongguan Universal Testing Technology Co., Ltd.
3rd Floor, Huihui Building, No. 801, Huihui Road, Huihui Community, Nanlou Town, Zhongshan City, Guangdong Province, China
Website: http://www.utl.com.cn Tel: +86-769-82281800 E-mail: info@utl.com.cn

CERTIFICATE OF CONFORMITY

EU - Restriction of the use of certain hazardous substances (RoHS) -
No. CTB190325913C-25

1. ZHONGSHAN SHENGSHIYOU PIN CO., LTD
2. NO.25 Xujing Street, Nanlou Town, Zhongshan City
3. ZHONGSHAN SHENGSHIYOU PIN CO., LTD
4. NO.25 Xujing Street, Nanlou Town, Zhongshan City
5. Smart door lock

AL001,AL002,AL003,AL004,AL005,AL006,AL011,AL021,AL022,AL023,AL024,AL025,AL026,AL027,AL028,AL029,AL030,AL031,AL032,AL033,AL034,AL035,AL036,AL037,AL038,AL039,AL040,AL041,AL042,AL043,AL044,AL045,AL046,AL047,AL048,AL049,AL050,AL051,AL052

CTB190325913C-25

EPA 3050B: 1996, EN 1122: 2001
EPA 3052: 1996, EPA 3050A: 1996
EPA 7190A: 1992, EPA 3540C: 1999
EPA 8210D: 2014, IEC 62321: 2013

based on the above specified products comply with the EU RoHS Directive
Appendix II Amendment Directive (EU) 2015/863 limit requirements.
I apply only to the particular sample tested and to the specific tests carried out.
No sample investigated in our test reference number only.
Directives have to be observed.

Shenzhen CTB Testing Technology Co., Ltd.
Room 101, Building E, No. 28 of Xinghe Road, Xinghe Community, Nanlou Street, Beian District, Shenzhen, Guangdong, China
Tel: 8328-258-120 Email: info@ctb-test.com

SGS

Test Report

No. CANECO70162117 Date: 07 Aug 2007 Page 1 of 3

ZHONGSHAN SHENGSHIYOU PIN CO., LTD
No. 25 Xujing Street, Nanlou Town, Zhongshan City

8 sample(s) were submitted and identified on behalf of the clients as:
AL001

Reference No.: 1054783 - QZ
Issue Information: 12.12
Sample Received: 4712 TAI
Date: April 21, 2007
Report Date: April 21, 2007 - May 20, 2007

To determine the Cadmium, Lead, Mercury & Hexavalent Chromium content in the submitted sample.

(1) With reference to EPA Method 3050B:1996 for Lead & Cadmium Content.
(2) With reference to EPA 3052: 1996.
(3) As specified by client, with reference to EPA 3050A: 1996 & EPA 7190A: 1992.
(4) Determination of Hexavalent Chromium by UV-Vis Spectrometry.

Please refer to test reports.

and on behalf of:
[Signature]
[Name]

Shenzhen CTB Testing Technology Co., Ltd.
Room 101, Building E, No. 28 of Xinghe Road, Xinghe Community, Nanlou Street, Beian District, Shenzhen, Guangdong, China
Tel: 8328-258-120 Email: info@ctb-test.com



>>> **MODEL AL001**
Make going home smart, easy and safe.



PACKING DETAILS

NO	Box size	Carton size	Quantity	Weight
01	23*16.5*8.6cm	47*37*36cm	20	22KG

PARAMETER

Product Size :	Front: 135*66mm / Back: 167*66mm
Color :	Black
Material :	Aluminum alloy
Unlock method :	APP + Fingerprint + Password + Card + Key
App :	TTlock App or TUYA App
Networking method :	4.1 BLE(Support gateway)
Door thickness :	35-55mm
Battery :	4xAA Alkaline battery (NOT supplied)
Mortise :	60/70
Fingerprint capacity :	100
Password capacity :	100
Weight :	1.1KG
Operating temperature :	-25℃~70℃
Magnetic door :	Support



TTlock Version
(Optional)



TUYA WIFI Version
(Optional)



Compatible with
Amazon Alexa



Compatible with
Google Home

>>> **MODEL AL003**

Make going home smart, easy and safe.

PARAMETER

Product Size :	140*65mm
Color :	Black
Material :	Zinc alloy
Unlock method :	APP + Fingerprint + Password + Card + Key
App :	TTlock App or TUYA App
Networking method :	4.1 BLE(Support gateway)
Door thickness :	35-55mm
Battery :	4xAA Alkaline battery (NOT supplied)
Mortise :	60/70
Fingerprint capacity :	100
Password capacity :	Unlimited passwords
Weight :	1KG
Operating temperature :	-25℃~70℃
Magnetic door :	Support



PACKING DETAILS


TTlock Version
(Optional)


TUYA WIFI Version
(Optional)


Compatible with
Amazon Alexa


Compatible with
Google Home

NO	Box size	Carton size	Quantity	Weight
01	20*19.5*10cm	44*22*52cm	12	11KG





>>> **MODEL AL004**
Make going home smart, easy and safe.



PACKING DETAILS

NO	Box size	Carton size	Quantity	Weight
01	22.5*21*13cm	47*44.5*30cm	8	12.84KG

PARAMETER

Product Size :	Front:155*68mm / Back: 155*72mm
Color :	Black
Material :	Zinc alloy
Unlock method :	APP + Fingerprint + Password + Card + Key
App :	TTlock App or TUYA App
Networking method :	4.1 BLE(Support gateway)
Door thickness :	35-55mm
Battery :	4xAA Alkaline battery (NOT supplied)
Mortise :	60/70
Fingerprint capacity :	100
Password capacity :	Unlimited passwords
Weight :	1.2KG
Operating temperature :	-20℃~60℃
Magnetic door :	Support



TTlock Version
(Optional)



TUYA WIFI Version
(Optional)



Compatible with
Amazon Alexa



Compatible with
Google Home

>>> **MODEL AL005**

Make going home smart, easy and safe.

PARAMETER

Product Size :	Front: 150*65mm / Back: 170*68mm
Color :	Black / Silver
Material :	Zinc alloy
Unlock method :	Password + Key
App :	TUYA App(Optional)
Networking method :	4.1 BLE(Support gateway)
Door thickness :	35-55mm
Battery :	4xAA Alkaline battery (NOT supplied)
Mortise :	60/70
Fingerprint capacity :	None
Password capacity :	50
Weight :	1KG
Operating temperature :	-25℃~70℃
Magnetic door :	Support



Black



Silver

PACKING DETAILS

NO	Box size	Carton size	Quantity	Weight
01	19.5*14.5*11.5cm	44*40*24cm	12	13KG



TTlock Version
(Optional)



TUYA WIFI Version
(Optional)



Compatible with
Amazon Alexa



Compatible with
Google Home





>>> **MODEL AL006**

Make going home smart, easy and safe.



Black



Silver

PARAMETER

Product Size :	Front: 161*66mm / Back: 157*70mm
Color :	Black / Silver
Material :	Aluminum alloy
Unlock method :	APP + Fingerprint + Password + Card + Key
App :	TUYA App
Networking method :	4.1 BLE(Support gateway)
Door thickness :	35-55mm
Battery :	4xAA Alkaline battery (NOT supplied)
Mortise :	60/70
Fingerprint capacity :	100
Password capacity :	100
Weight :	1.2KG
Operating temperature :	-20℃~60℃
Magnetic door :	Support

PACKING DETAILS

NO	Box size	Carton size	Quantity	Weight
01	22*19*9.5cm	44*22*52cm	12	22KG



TTlock Version
(Optional)



TUYA WIFI Version
(Optional)



Compatible with
Amazon Alexa



Compatible with
Google Home

>>> **MODEL AL012**

Make going home smart, easy and safe.

PARAMETER

Product Size :	Front: 168*65mm / Back: 130*100*35mm
Color :	Black
Material :	Zinc Alloy + Stainless Steel
Unlock method :	APP + Fingerprint + Password + Card + Key
App :	TUYA App
Networking method :	4.1 BLE(Support gateway)
Door thickness :	30-100mm
Battery :	4xAA Alkaline battery (NOT supplied)
Mortise :	Rim lock
Fingerprint capacity :	50
Password capacity :	200
Weight :	1.37KG
Operating temperature :	-10℃~93℃
Magnetic door :	Support



PACKING DETAILS



TTlock Version
(Optional)



TUYA WIFI Version
(Optional)



Compatible with
Amazon Alexa



Compatible with
Google Home

NO	Box size	Carton size	Quantity	Weight
01	22*22*8.5cm	43*43*18cm	8	12KG





>>> **MODEL SAL021**
Make going home smart, easy and safe.



Black



Silver



TTlock Version
(Optional)



TUYA WIFI Version
(Optional)



Compatible with
Amazon Alexa



Compatible with
Google Home

PARAMETER

Product Size :	248mm*15*54mm
Color :	Black + Silver
Material :	Zinc alloy + Iron
Unlock method :	Fingerprint + APP + Code + Key
App :	TTlock App or TUYA App
Networking method :	4.1 BLE(Support gateway)
Door thickness :	35-55
Battery :	4xAA Alkaline battery (NOT supplied)
Mortise :	160/5050
Fingerprint capacity :	50
Password capacity :	50
Weight :	1.95KG
Operating temperature :	-20℃~60℃
Magnetic door :	Support

PACKING DETAILS

NO	Box size	Carton size	Quantity	Weight
01	33.5*11*21.5cm	34*34*44cm	6	12KG

>>> **MODEL SAL022**

Make going home smart, easy and safe.

PARAMETER

Product Size :	275mm*22mm*65mm
Color :	Black / Bronze / Silver
Material :	Auminum alloy
Unlock method :	APP + Fingerprint + Password + Card + Key
App :	TTlock App or TUYA App
Networking method :	4.1 BLE(Support gateway)
Door thickness :	35-55mm
Battery :	4xAA Alkaline battery (NOT supplied)
Mortise :	160/5050
Fingerprint capacity :	50
Password capacity :	200
Weight :	1.77KG
Operating temperature :	-20℃~70℃
Magnetic door :	Support



PACKING DETAILS


TTlock Version
(Optional)


TUYA WIFI Version
(Optional)


Compatible with
Amazon Alexa


Compatible with
Google Home

NO	Box size	Carton size	Quantity	Weight
01	36.5*11*21cm	36.5*33*42cm	6	12KG





>>> **MODEL SAL023**
Make going home smart, easy and safe.



Black



TTlock Version
(Optional)



TUYA WIFI Version
(Optional)



Compatible with
Amazon Alexa



Compatible with
Google Home

PARAMETER

Product Size :	275*20*65mm
Color :	Black
Material :	Iron
Unlock method :	Fingerprint + APP + Code + Card + Key
App :	TUYA App
Networking method :	4.1 BLE(Support gateway)
Door thickness :	35-55mm
Battery :	4xAA Alkaline battery (NOT supplied)
Mortise :	160/5050
Fingerprint capacity :	50
Password capacity :	200
Weight :	2.15KG
Operating temperature :	-20℃~70℃
Magnetic door :	Support

PACKING DETAILS

NO	Box size	Carton size	Quantity	Weight
01	33.5*11*19cm	34*34*39cm	6	13.5KG

>>> **MODEL SAL026**

Make going home smart, easy and safe.

PARAMETER

Product Size :	258*64mm
Color :	Black / Gold
Material :	Auminum alloy
Unlock method :	APP + Fingerprint + Password + Card + Key
App :	TUYA App
Networking method :	WIFI
Door thickness :	35-55mm
Battery :	4xAA Alkaline battery (NOT supplied)
Mortise :	160/5050
Fingerprint capacity :	100
Password capacity :	100
Weight :	1.75KG
Operating temperature :	-20℃~60℃
Magnetic door :	Support



Black



Gold

PACKING DETAILS



TTlock Version
(Optional)



TUYA WIFI Version
(Optional)



Compatible with
Amazon Alexa



Compatible with
Google Home

NO	Box size	Carton size	Quantity	Weight
01	30*20*12cm	37*31*41cm	6	11KG





>>> **MODEL SAL027**
Make going home smart, easy and safe.



Black



PARAMETER

Product Size :	370*160*72mm
Color :	Black
Material :	Iron
Unlock method :	Fingerprint + APP + Code + Card + Key
App :	TUYA App
Networking method :	4.1 BLE(Support gateway)
Door thickness :	55-110mm
Battery :	4xAA Alkaline battery (NOT supplied)
Mortise :	6068
Fingerprint capacity :	50
Password capacity :	100
Weight :	3.2KG
Operating temperature :	-25℃~70℃
Magnetic door :	Support

PACKING DETAILS

NO	Box size	Carton size	Quantity	Weight
01	51.5*22.5*13.5cm	42*52*46cm	6	20KG

>>> **MODEL AL032**

Make going home smart, easy and safe.

PARAMETER

Product Size :	400*78mm
Color :	Black / Grey / Gold
Material :	Aluminum alloy
Unlock method :	Face + Fingerprint + APP + Code + Card + Key
App :	TUYA App
Networking method :	WIFI
Door thickness :	40-120mm
Battery :	4200mAH Built-in battery
Mortise :	6068
Fingerprint capacity :	100
Password capacity :	100
Weight :	4KG
Operating temperature :	-10℃~60℃
Magnetic door :	Support

PACKING DETAILS

NO	Box size	Carton size	Quantity	Weight
01	49*26*11cm	34*50*53cm	6	25KG



Black



Grey



Gold



Compatible with
Amazon Alexa



TUYA WIFI Version
(Optional)



TTlock Version
(Optional)



Compatible with
Google Home





Compatible with
Amazon Alexa



TUYA WIFI Version
(Optional)



TTLock Version
(Optional)



Compatible with
Google Home



>>> MODEL AL033

Make going home smart, easy and safe.



Black



Grey



Gold

PARAMETER

Product Size :	430*70mm
Color :	Black / Grey / Gold
Material :	Aluminum alloy
Unlock method :	Face + Fingerprint + APP + Code + Card + Key
App :	TUYA App
Networking method :	WIFI
Door thickness :	40-120mm
Battery :	4200mAH Built-in battery
Mortise :	6068
Fingerprint capacity :	100
Password capacity :	100
Weight :	4KG
Operating temperature :	-20℃~55℃
Magnetic door :	Support

PACKING DETAILS

NO	Box size	Carton size	Quantity	Weight
01	49*26*11cm	34*50*53cm	6	25KG

>>> **MODEL AL035**

Make going home smart, easy and safe.

PARAMETER

Product Size :	Front: 416*64*62mm / Back: 427*79*71mm
Color :	Black
Material :	Aluminum alloy
Unlock method :	Face + Fingerprint + APP + Code + Card + Key
App :	TUYA App
Networking method :	WIFI
Door thickness :	55-110mm
Battery :	4200mAH Built-in battery
Mortise :	6068
Fingerprint capacity :	100
Password capacity :	100
Weight :	4.5KG
Operating temperature :	-25°C~70°C
Magnetic door :	Support

PACKING DETAILS

NO	Box size	Carton size	Quantity	Weight
01	51*23*14cm	43*52*47cm	6	27KG




Compatible with
Amazon Alexa



3D
face recognition





>>> MODEL AL036

Make going home smart, easy and safe.



PARAMETER

Product Size :	Front: 433*76*60mm / Back: 427*79*71mm
Color :	Black
Material :	Aluminum alloy
Unlock method :	Face + Fingerprint + APP + Code + Card + Key
App :	TUYA App
Networking method :	WIFI
Door thickness :	55-110mm
Battery :	4200mAH Built-in battery
Mortise :	6068
Fingerprint capacity :	100
Password capacity :	100
Weight :	4.5KG
Operating temperature :	-25°C~70°C
Magnetic door :	Support

PACKING DETAILS

NO	Box size	Carton size	Quantity	Weight
01	51*23*14cm	43*52*47cm	6	27KG

>>> **MODEL SAL040**

Make going home smart, easy and safe.

PARAMETER

Product Size :	149*65*28mm
Color :	Black / Silver
Material :	Auminum alloy
Unlock method :	APP + Fingerprint + Password + Key
App :	TUYA App
Networking method :	4.1BLE(Support gateway)
Door thickness :	35-60mm
Battery :	4xAA Alkaline battery (NOT supplied)
Mortise :	60/70
Fingerprint capacity :	50
Password capacity :	40
Weight :	1KG
Operating temperature :	-10℃~60℃
Magnetic door :	Support



Black



Silver

PACKING DETAILS



TTLock Version
(Optional)



TUYA WIFI Version
(Optional)



Compatible with
Amazon Alexa



Compatible with
Google Home

NO	Box size	Carton size	Quantity	Weight
01	22.6*16.5*8.5cm	51.5*48*28cm	18	19KG





>>> **MODEL SAL048**
Make going home smart, easy and safe.



Black



Silver



Bronze



TTlock Version
(Optional)



TUYA WIFI Version
(Optional)



Compatible with
Amazon Alexa



Compatible with
Google Home

PARAMETER

Product Size :	74*55mm
Color :	Black / Silver / Bronze
Material :	Zinc alloy
Unlock method :	Fingerprint + APP + Code + Card + Key
App :	TTlock or TUYA App
Networking method :	4.1 BLE(Support gateway)
Door thickness :	30-55mm
Battery :	4xAA Alkaline battery (NOT supplied)
Mortise :	60/70
Fingerprint capacity :	100
Password capacity :	100
Weight :	0.66KG
Operating temperature :	-10℃~60℃
Magnetic door :	Support

PACKING DETAILS

NO	Box size	Carton size	Quantity	Weight
01	20.5*15.5*8.7cm	47*42*18cm	12	12KG

>>> **MODEL SAL049**

Make going home smart, easy and safe.

PARAMETER

Product Size :	146*65*62mm
Color :	Black / Silver
Material :	Zinc alloy
Unlock method :	APP + Fingerprint + Password + Key
App :	TUYA App
Networking method :	4.1BLE(Support gateway)
Door thickness :	30-55mm
Battery :	4xAA Alkaline battery (NOT supplied)
Mortise :	60/70
Fingerprint capacity :	100
Password capacity :	100
Weight :	0.95KG
Operating temperature :	-20℃~60℃
Magnetic door :	Support



Black



Silver

PACKING DETAILS



TTLock Version
(Optional)



TUYA WIFI Version
(Optional)



Compatible with
Amazon Alexa



Compatible with
Google Home

NO	Box size	Carton size	Quantity	Weight
01	21.8*17.8*7.3cm	45*37*39cm	20	20KG





>>> **MODEL SF043**
Make going home smart, easy and safe.



Silver

PARAMETER

Product Size :	165*65mm
Color :	Black / Silver
Material :	Aluminium alloy
Unlock method :	Fingerprint + APP + Code + Key
App :	TTlock or TUYA App
Networking method :	4.1 BLE(Support gateway)
Door thickness :	35-60mm
Battery :	4xAA Alkaline battery (NOT supplied)
Mortise :	60/70
Fingerprint capacity :	100
Password capacity :	100
Weight :	1KG
Operating temperature :	-10℃~60℃
Magnetic door :	Support

PACKING DETAILS

NO	Box size	Carton size	Quantity	Weight
01	22.6*16.5*8.5cm	49.5*45.5*17cm	12	12.5KG



TTlock Version
(Optional)



TUYA WIFI Version
(Optional)



Compatible with
Amazon Alexa



Compatible with
Google Home



>>> **MODEL SAL055**
Make going home smart, easy and safe.



Black



Silver



TTlock Version
(Optional)



TUYA WIFI Version
(Optional)



Compatible with
Amazon Alexa



Compatible with
Google Home

PARAMETER

Product Size :	165*67*25.5mm
Color :	Black / Silver
Material :	Aluminum alloy
Unlock method :	Fingerprint + APP + Code + Card + Key
App :	TTlock or TUYA App
Networking method :	4.1 BLE(Support gateway)
Door thickness :	35-55mm
Battery :	4xAA Alkaline battery (NOT supplied)
Mortise :	60/70
Fingerprint capacity :	100
Password capacity :	No limit
Weight :	2KG
Operating temperature :	-20℃~50℃
Magnetic door :	Support

PACKING DETAILS

NO	Box size	Carton size	Quantity	Weight
01	25.5*20*9cm	50*40*27cm	12	24.5KG

>>> **MODEL SAL056**

Make going home smart, easy and safe.

PARAMETER

Product Size :	147*75mm
Color :	Black
Material :	Zinc alloy
Unlock method :	APP + Fingerprint + Password + Card + Key
App :	TTlock App
Networking method :	4.1BLE(Support gateway)
Door thickness :	38-50mm
Battery :	4xAA Alkaline battery (NOT supplied)
Mortise :	60/70
Fingerprint capacity :	100
Password capacity :	No limit
Weight :	1.6KG
Operating temperature :	-20℃~60℃
Magnetic door :	Support



Black

PACKING DETAILS



TTlock Version
(Optional)



TUYA WIFI Version
(Optional)



Compatible with
Amazon Alexa



Compatible with
Google Home

NO	Box size	Carton size	Quantity	Weight
01	27*20*9.6cm	54*40*30cm	12	20KG

